

Certificate for the fire behaviour according to DIN 4102-1 Class B1

This certificate will remain valid as long as the factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

This certificate is based on the results of technical tests and according the best experiences, composed in accordance with the latest available information. Since we cannot control the circumstances under which the product is used, we don't accept any responsibility and decline any liability.

This certificate expires five years after testing date.

Testing date:

20-3-2017

Tested object:

SENTEC Magnetic Base Film + SENTEC Ferro
PET Film 700 micron PSA + 180 micron
Sentec International BV, Lelystad

Controlled by:

O.P. Larsen

Passport-number controller:

...4302675606...RB.....

Signature:



FINIVLAM[®]

P.O. Box 428
NL 2200 AK Noordwijk
The Netherlands
Tel: +3171-3624403
E-mail: info@finivlam.nl

FINIVLAM®

maakt textiel brandvertragend

	A	B	C	D	E	F	G	
1								
2								
3								
4		Sample 1	Sample 2	Sample 3	Sample 4	Sample 5	Sample 6	
5	burned cm	0,1	0,1	0,2	0	0,1	0,2	
6	burned parts fall down	0	0	0	0	0	0	
7	afterglowing seconds	0	0	0	0	0		
8								
9								
10	result	ok	ok	ok	ok	ok	ok	
11								
12								
13	Name	Sentec International						
14	Adress	Pascallaan 36						
15	Zippcode	8218 NJ						
16	City	LELYSTAD						
17								
18	Material tested	SENTEC Magnetic Base Film + SENTEC Ferro PET Film						
19	Material name	SENTEC Magnetic Base Film + SENTEC Ferro PET Film						
20	Material thickness	700 micron PSA + 180 micron						
21	Weight sq meter							
22								
23	Testname	DIN 4102-1						
24	Testnumber	17331combi						
25	Date	20-3-2017						

